




Wholesale Tire Distributors, WTD



Wholesale Tire Distributors, WTD




Wholesale Tire Distributors (WTD) is a Southern California based company involved in selling and distributing tires to the 50 states. WTD distributes an extensive selection of passenger, UHP, light truck and TBR tires. With having four warehouses in the USA (Cerritos, Fontana, Las Vegas and Chicago) and being a direct importer and exclusive distributors for Mayrun, Winrun and Sunew brand tires from China, our selection offers our customers the most comprehensive portfolio of over 300,000 stock keeping units.

We strive to be the leader in the tire resale and the distribution business by differentiating ourselves from the competition by offering exceptional service and superior brand names through the most knowledgeable trained staff in the industry. Since 1991, it has been our mission to provide our customers with not just the highest quality products but unparalleled exceptionally low tire prices.

At WTD, it is our commitment to establish and build long term relationships with our valued customers through professional and dedicated members of our team. WTD is completely dedicated to giving each and every customer the exceptional experience. It's not enough to gratify our customers, but to persuade everyone that there will be no reason for them to consider another competitor for tires.

For additional info, please contact us, send your inquiries to info@wtdus.com or call us at 562.677.3950 (Ext. 1016)





YOUR SPECIAL SIZES SUPPLIER



KF990
Page 11

- Handling
- Comfort
- Drainage
- Safety



KF770
Page 12

- Braking
- Safety
- Handling



KF397
Page 13

- Braking
- Safety
- Handling



KF380
Page 14

- Handling
- Braking
- Safety



MAXCLAW H-TM+S
Page 05

- Handling
- Safety
- Comfort
- Drainage



MAXCLAW A-TM+S
Page 07

- Handling
- Silence
- Comfort
- Braking



ROADCLAW H-TM+S
Page 08

- Handling
- Silence
- Comfort
- Braking



ROADGRIP H-TM+S
Page 09

- Comfort
- Safety
- Drainage
- Handling



KF997
Page 10

- Handling
- Comfort
- Drainage
- Safety



KF233
Page 15

- Comfort
- Handling
- Silence
- Braking



SS200
Page 16

- Handling
- Braking
- Drainage



SS300
Page 17

- Comfort
- Handling
- Silence
- Braking



SS900
Page 18

- Comfort
- Handling
- Silence
- Safety



Wide center pattern rib ensures excellent steering response on wet and dry road.

Wide pattern blocks on shoulder improve steering response.

Four main continuous longitudinal grooves ensure excellent drainage.

Narrow grooves improve the grid property, steering response, braking performance and traction wet, dry and snow condition.

Advanced pattern noise analysis software, optimizes the pattern block pitch arrangement and minimizes noise levels.

Wide tread blocks ensure enough contact area and improve grip and envelop performance.

MAXCLAW H-T M+S

4WD/SUV/LIGHT TRUCK



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	85	LT215/85R16 D	110/107S	11.6	6J	—
		LT215/85R16 E	115/112S	11.6	6J	—
	75	LT225/75R16 E	115/112S	11.6	6J	—
		LT245/75R16 E	120/116S	11.6	7J	—
		LT265/75R16 E	123/120S	12.4	71/2J	—
17	80	LT235/80R17 E	120/117S	11.6	61/2J	—
	70	LT245/70R17 E	119/116S	11.5	7J	—
		LT265/70R17 E	121/118S	12.4	8J	—

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG		
15	75	235/75R15	105T	9.2	6.5J	500 A B		
		235/75R15	109T XL	9.2	6.5J	500 A B		
		P235/75R15	105T	9.2	6.5J	500 A B		
16	70	215/70R16	100T	9.2	6.5J	500 A B		
		P215/70R16	99T	9.2	6.5J	500 A B		
		225/70R16	103T	9.2	6.5J	500 A B		
		P225/70R16	101T	9.2	6.5J	500 A B		
		235/70R16	106T	9.2	7J	500 A B		
		P235/70R16	104T	9.2	7J	500 A B		
		245/70R16	107T	9.2	7J	500 A B		
		245/70R16	111T XL	9.2	7J	500 A B		
		P245/70R16	106T	9.2	7J	500 A B		
		255/70R16	111T	10.0	7.5J	500 A B		
		P255/70R16	109T	10.0	7.5J	500 A B		
		265/70R16	112T	10.0	8J	500 A B		
	P265/70R16	111T	10.0	8J	500 A B			
	65	215/65R16	98T	9.2	6.5J	500 A B		
		P215/65R16	96T	9.2	6.5J	500 A B		
		235/65R16	103T	9.2	7J	500 A B		
		P235/65R16	101T	9.2	7J	500 A B		
		245/70R17	110T	9.2	7J	500 A B		
		P245/70R17	108T	9.2	7J	500 A B		
	17	70	265/70R17	115T	10.0	8J	500 A B	
			P265/70R17	113T	10.0	8J	500 A B	
225/65R17			102T	8.5	6.5J	500 A B		
P225/65R17			100T	8.5	6.5J	500 A B		
235/65R17			104T	9.2	7J	500 A B		
P235/65R17			103T	9.2	7J	500 A B		
65		245/65R17	107T	9.2	7J	500 A B		
		245/65R17	111T XL	9.2	7J	500 A B		
		P245/65R17	105T	9.2	7J	500 A B		
		255/65R17	110T	10.0	7.5J	500 A B		
		P255/65R17	108T	10.0	7.5J	500 A B		
		265/65R17	112T	10.4	8J	500 A B		
		P265/65R17	110T	10.4	8J	500 A B		
		* 275/65R17	115T	10.0	8J	500 A B		
		* P275/65R17	113T	10.0	9J	500 A B		
		18	70	* 255/70R18	113T	10.0	7.5J	500 A B
				* P255/70R18	112T	10.0	7.5J	500 A B
				* 265/70R18	116T	10.0	8J	500 A B
* P265/70R18	114T			10.0	8J	500 A B		
* 235/65R18	106T			10.0	7J	500 A B		
* P235/65R18	104T			10.0	7J	500 A B		
65	* 265/65R18		114T	10.0	8J	500 A B		
	* P265/65R18		112T	10.0	8J	500 A B		
	275/65R18		116T	10.0	8J	500 A B		
	P275/65R18		114T	10.0	8J	500 A B		
	* 255/55R18		109H XL	10.0	8J	500 A B		
	* P255/55R18		104H	10.0	8J	500 A B		
20	60	* 275/60R20	115T	10.0	8J	500 A B		
		* P275/60R20	114T	10.0	8J	500 A B		

* Available in 2012 XL Extra Load



Wide center pattern rib ensures excellent steering response on wet and dry road.

Wide pattern blocks on shoulder improve steering response.

Four main continuous longitudinal grooves ensure excellent drainage.

Narrow grooves improve the grid property, steering response, braking performance and traction wet, dry and snow condition.

Advanced pattern noise analysis software, optimizes the pattern block pitch arrangement and minimizes noise levels.

Wide tread blocks ensure enough contact area and improve grip and envelop performance.

MAXCLAW A-T M+S

4WD/LIGHT TRUCK



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	70	LT275/70R16 C	114/110S	12.1	8J	—



New pattern design ideal for off the road as well as highway road.

Excel at high speed while straight-line driving and water evacuation on wet road.

Effective heat dissipation and incredible overall performance of tread wear, braking and shock absorption.

Stable and comfortable ride and low noise.

ROADCLAW H-T M+S

LIGHT TRUCK



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	85	LT235/85R16 E	120/116S	11.6	61/2J	—



Wide pattern blocks on shoulder improve steering response.

Wide center pattern rib ensures excellent steering response on wet and dry road.

Four main continuous longitudinal grooves ensure excellent drainage.

Narrow grooves improve grip property, steering response, braking performance and traction on wet, dry and snow condition.

By the advanced pattern noise analyses software, Optimum the block pitch arrangement minimized noise levels and improved comfort.

Thicker end glue can reduce noise and improve ride comfort and smooth.

ROADGRIP H-T M+S

4WD/LIGHT TRUCK



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
15	-	31*10.50R15LT C	109S	10.6	81/2J	—



Outstanding tread design for A/S UHP.

Noise-minimizing tread block pattern.

Wide, circumferential grooves that channel water away.

Double V grooves provide super traction and grip.

KF997



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
18	60	* 245/60R18	105H	9.5	7J	420 A A
		* 265/60R18	110H	9.5	8J	420 A A
		* 275/60R18	113H	9.5	8J	420 A A
		* 285/60R18	116H	9.5	8.5J	420 A A
20	55	275/55R20	117H XL	8.8	8.5J	420 A A
	50	* 265/50R20	111V XL	9.0	8.5J	420 A A
		285/50R20	112V	8.8	9J	420 A A
	30	285/30ZR20	99W XL	8.0	10J	420 A A
22	45	* 285/45R22	114V XL	9.0	9.5J	420 A A
	40	305/40R22	114V XL	9.0	11J	420 A A
		265/40R22	106V XL	9.0	9.5J	420 A A
	35	* 285/35ZR22	106W XL	8.8	10J	420 A A
	30	235/30ZR22	90W XL	8.0	8.5J	420 A A
		255/30ZR22	95W XL	8.0	9J	420 A A
24	35	295/35R24	110V XL	8.8	10.5J	420 A A
		295/35ZR24	110W XL	8.8	10.5J	420 A A
	30	245/30ZR24	94W XL	8.0	8.5J	420 A A
		255/30ZR24	97W XL	8.0	9J	420 A A
		275/30ZR24	101W XL	8.8	9.5J	420 A A
	25	275/25ZR24	95W XL	8.8	10J	420 A A
26	30	* 255/30ZR26	100W XL	9.0	9J	420 A A
		295/30ZR26	107W XL	8.8	10.5J	420 A A
	25	305/30ZR26	109W XL	8.8	11J	420 A A
		* 275/25ZR26	100W XL	9.0	10J	420 A A

* Available in 2012 XL Extra Load



Wide center rib improves outstanding steering response.

Big tread pattern blocks ensure enough contact area and enhance riding stability

The design with snake type tread endows great sport feeling.

Two wider longitudinal grooves together with open lateral grooves, ensure excellent drainage to improve hydroplaning and riding comfort.

KF990



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
20	45	275/45R20	106V	8.8	9J	420 A A
		305/45R22	118V XL	8.8	10J	420 A A
22	35	265/35R22	102V XL	8.0	9.5J	420 A A
24	35	305/35R24	112V XL	8.8	11J	420 A A

* Available in 2012 XL Extra Load



Outstanding tread design for A/S UHP.

Noise-minimizing tread block pattern.

Wide, circumferential grooves that channel water away.

Double V grooves provide super traction and grip.

KF770



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
20	40	245/40ZR20	99W XL	8.0	8.5J	420 A A
		245/35ZR20	95W XL	8.0	8.5J	420 A A
	35	255/35ZR20	97W XL	8.0	9J	420 A A
		275/35ZR20	102W XL	8.0	9.5J	420 A A
22	30	275/30ZR20	97W XL	8.0	9.5J	420 A A
		245/30ZR22	92W XL	8.0	8.5J	420 A A
	30	265/30ZR22	97W XL	8.0	9.5J	420 A A
		25	295/25ZR22	97W XL	8.0	10.5J

* Available in 2012 XL Extra Load



Wide center block improves steering response.

Unidirectional lateral grooves deliver excellent drainage to improve hydroplaning.

Optimized unidirectional tread pattern offer top sport feeling.

KF397



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
20	40	* 275/40ZR20	106W XL	8.0	9.5J	420 A A
	35	225/35ZR20	90W XL	8.0	8J	420 A A
	30	225/30ZR20	85W XL	8.0	8J	420 A A
22	30	* 225/30ZR22	87W XL	8.0	8J	420 A A

* Available in 2012 XL Extra Load



Slip resistant tire pattern design with unidirectional "V" type enables high speed, prompt water evacuation and ensures safety in the event of slip.

Endurable, stable and comfortable and low noise, high speed up to 300km/h.

Unique design of biological modeling pattern, streamlined and stylish.

Suitable for BMW, Audi and etc.

KF380



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
20	45	255/45ZR20	105W XL	8.0	8.5J	420 A A

* Available in 2012 XL Extra Load



Pattern design for deluxe and comfortable sports cars. Bi-bias arc-shaped pattern makes for low rolling resistance and strong shock absorption.

Superb performance on wet road. Six continuous straight grooves make for highly efficient water dispersal and minimize the possibility of skidding on wet and slippery road.

Outstanding performance also benefits from wide and flat tread.

Extremely low road noise gives you a comfortable riding on road surface.

Lucurious design shows superiority of quality to the best.

Unique outside appearance without peers.

KF223



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	60	* 225/60R16	98H	8.3	6.5J	420 A A

* Available in 2012 XL Extra Load



New profile design (design by computer simulation & flattened tread shoulder)

SS200

Unique tread pattern

1) More excellent performance of water drainage, ground grip and brake force in wet condition with design of three wide grooves length way in the direction of tire rolling.

2) Large pattern for tread and transverse tread shoulder design enhance the controlling stability and total mileage.

Novel protection design of sidewall avoid scrape and stab



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
12	-	155R12C	6PR 83/81N	8	4.5B	320 A A
13	70	165/70R13	79T	8	5.0B	320 A A
		165/70R13C	6PR 88/86P	8	5.0B	320 A A
14	-	155R13C	85/83 Q	8	4.5B	340 A A
		185R14C	8PR 102/100R	9	5.5J	360 A A
	70	195R14C	8PR 106/104P	9	5.5J	360 A A
		195/70R15C	8PR 100/98Q	9	6J	360 A A
15	-	195R15C	8PR 107/105N	9	5.5J	360 A A
		650R15C	10PR106/101 L	11	5.5F	-
16	-	650R16C	10PR107/102 M	11	5.5F	-
		700R16C	12PR115/110 L	11	5.5F	-